


DIN 7985

Cross Recessed Pan Head Screw



Weight Chart – DIN 7985 Cross Recessed Pan Head Screw

Weight in Kg/1000 pieces

Table 1: Weight Chart – M1.60 to M3.50

L			M1.60	M2	M2.50	M3	M3.50
Nominal	Min.	Max.					
2	1.80	2.20	0.085	0.156			
3	2.80	3.20	0.097	0.175	0.341		
4	3.75	4.25	0.108	0.194	0.37	0.635	
5	4.75	5.25	0.12	0.212	0.399	0.675	0.99
6	5.75	6.25	0.132	0.231	0.428	0.714	1.05
8	7.70	8.30	0.155	0.268	0.486	0.793	1.17
10	9.70	10.30	0.178	0.306	0.544	0.872	1.29
12	11.65	12.35	0.201	0.343	0.602	0.951	1.42
14	13.65	14.35	0.225	0.38	0.66	1.03	1.54
16	15.65	16.35	0.248	0.418	0.718	1.11	1.67
18	17.65	18.35		0.455	0.776	1.19	1.79
20	19.60	20.40		0.492	0.834	1.27	1.92
22	21.60	22.40			0.912	1.35	2.05
25	24.60	25.40			0.999	1.47	2.25
28	27.60	28.40			1.09	1.59	2.48
30	29.60	30.40			1.15	1.71	2.63
35	34.50	35.50					3.01

Table 2: Weight Chart – M4 to M10

L			M4	M5	M6	M8	M10
Nominal	Min.	Max.					
5	4.75	5.25	1.41				
6	5.75	6.25	1.48	2.66			
8	7.70	8.30	1.63	2.91			
10	9.70	10.30	1.79	3.16	5.14	10.90	
12	11.65	12.35	1.94	3.41	5.49	11.50	21.20
14	13.65	14.35	2.09	3.66	5.84	12.20	22.20
16	15.65	16.35	2.25	3.91	6.19	12.80	23.20
18	17.65	18.35	2.41	4.16	6.54	13.50	24.20
20	19.60	20.40	2.56	4.41	6.89	14.20	25.20
22	21.60	22.40	2.72	4.66	7.24	14.80	26.20
25	24.60	25.40	2.94	5.03	7.77	15.80	27.70
28	27.60	28.40	3.24	5.41	8.29	16.80	29.20
30	29.60	30.40	3.44	5.68	8.64	17.50	30.20
35	34.50	35.50	3.94	6.43	9.52	19.10	32.70
40	39.50	40.50	4.44	7.18	10.50	20.70	35.70
45	44.50	45.50		7.93	11.40	22.30	37.70
50	49.50	50.50		8.68	12.30	23.90	41.20
55	54	56				25.50	43.70
60	59	61				27.10	46.20